

# Health Maintenance Schedule:

Sick visits are not an alternative for health maintenance.

Newborns to One year:						
<input type="checkbox"/>	1-2 Weeks:					
<input type="checkbox"/>	1 Month:	HB				
<input type="checkbox"/>	2 Months:	Vaccines: <	<table border="1"> <tr> <td>Pediarix (DTaP + IPV + HB)</td> <td rowspan="2"><b>OR: Hib + Prevnar + Rota-teq</b></td> </tr> <tr> <td>Pentacel (DTaP + IPV + Hib)</td> </tr> </table>	Pediarix (DTaP + IPV + HB)	<b>OR: Hib + Prevnar + Rota-teq</b>	Pentacel (DTaP + IPV + Hib)
Pediarix (DTaP + IPV + HB)	<b>OR: Hib + Prevnar + Rota-teq</b>					
Pentacel (DTaP + IPV + Hib)						
<input type="checkbox"/>	4 Months:	Vaccines: <	<table border="1"> <tr> <td>Pediarix (DTaP + IPV + HB)</td> <td rowspan="2"><b>OR: Hib + Prevnar + Rota-teq</b></td> </tr> <tr> <td>Pentacel (DTaP + IPV + Hib)</td> </tr> </table>	Pediarix (DTaP + IPV + HB)	<b>OR: Hib + Prevnar + Rota-teq</b>	Pentacel (DTaP + IPV + Hib)
Pediarix (DTaP + IPV + HB)	<b>OR: Hib + Prevnar + Rota-teq</b>					
Pentacel (DTaP + IPV + Hib)						
<input type="checkbox"/>	6 Months:	Vaccines: <	<table border="1"> <tr> <td>Pediarix (DTaP + IPV + HB)</td> <td rowspan="2"><b>OR: Hib + Prevnar + Rota-teq</b></td> </tr> <tr> <td>Pentacel (DTaP + IPV + Hib)</td> </tr> </table>	Pediarix (DTaP + IPV + HB)	<b>OR: Hib + Prevnar + Rota-teq</b>	Pentacel (DTaP + IPV + Hib)
Pediarix (DTaP + IPV + HB)	<b>OR: Hib + Prevnar + Rota-teq</b>					
Pentacel (DTaP + IPV + Hib)						
<input type="checkbox"/>	Lead risk assessment					
<input type="checkbox"/>	9 Months:					
<input type="checkbox"/>	12 Months:	(MMR + Varicella + IPV, Lead level and blood count)	<input type="checkbox"/> Lead risk assessment			

**Influenza A-** Prophylaxis Starts at 6 months: Initial vaccine takes 2 doses; 1 month apart- begins in September  
Recommended from 6 mo- 18 yrs and for high risk infants and children are a priority.

Infants and children:	
<input type="checkbox"/>	15 Months: (DTaP+Hib, Prevnar, Hepatitis A)
<input type="checkbox"/>	18 Months: (Routine physical & Autism screening)
<input type="checkbox"/>	2 Years: (Hepatitis A/ Review Vaccine Status) <input type="checkbox"/> Lead risk assessment
<input type="checkbox"/>	2 ½ Years:
<input type="checkbox"/>	3 Years:
<input type="checkbox"/>	4 Years: (MMR + Varicella + DTaP + IPV, Hearing, Vision and Blood Lead)
<input type="checkbox"/>	After 4 Years: (Routine physical done every year after each birthday.)

Children's and adolescents: ( 5-21 Years) (Routine Physical Examinations due after each Birthday.)	
<input type="checkbox"/>	At and before 6 <sup>th</sup> grade DTaP (Boostrix)
<input type="checkbox"/>	At 11 years Meningitis Vaccine. (Mandates for college entry)
<input type="checkbox"/>	Girls age 9-26 years. (Gardasil vaccines- 3 doses, 2 <sup>nd</sup> dose given 2 months after 1 <sup>st</sup> dose, 3 <sup>rd</sup> dose given 4 months after 1 <sup>st</sup> )

**Children's of special needs or high risk infants and children must follow up more frequently.**

Traveling Vaccines:	
<input type="checkbox"/>	Antimalarial prophylaxis. (2 years and above, begin 1 week prior to departure from USA)
<input type="checkbox"/>	Typhoid Vaccine. (2 years and above must be give 2 weeks prior to departure from USA)
<input type="checkbox"/>	Yellow Fever. (Given at department of health clinics for people traveling to African & specific geographic areas.)

**Health Maintenance schedule for newborn, infant, child and adolescents.**